Molecular Ecology (2003) **12**, 3531–3546

Author index

Abbott CL & Double MC. Phylogeography of shy and white-capped albatrosses inferred from mitochondrial DNA sequences: implications for population history and taxonomy, 2747

Abbott CL & Double MC. Genetic structure, conservation genetics and evidence of speciation by range expansion in shy and white-capped albatrosses, 2953

Abbott RJ see Coleman M

Abbott RJ see Milne RI

Abbott RJ & Brochmann C. History and evolution of the arctic flora: in the footsteps of Eric Hultén, 299

Abernethy KA see Telfer PT

Acevedo J see McCartney MA

Adams JR see Miller CR

Adams JR, Kelly BT & Waits LP. Using faecal DNA sampling and GIS to monitor hybridization between red wolves (*Canis rufus*) and coyotes (*Canis latrans*), 2175

Adams JR, Leonard JA & Waits LP. Widespread occurrence of a domestic dog mitochondrial DNA haplotype in southeastern US coyotes, 541

Adams RMM see Dearborn DC

Agustí N, Shayler SP, Harwood JD, Vaughan IP & Sunderland KD, Symondson WOC. Collembola as alternative prey-sustaining spiders in arable ecosystems: prey detection within predatorsusing molecular markers, 3467

Ainsworth EA, Tranel PJ, Drake BG & Long SP. The clonal structure of *Quercus geminata* revealed by conserved microsatellite loci, 527

Ajie BC see Jovelin R

Al-Jaser MH see Dejong RJ

Albertson RC see Streelman JT

Albrecht C see Pfenninger M

Allendorf FW see Schwartz MK

Anders AD see Dearborn DC

Anderson NJ see Cegelski CC

Anderson SL see Whitehead A

André C see Knutsen H

Appleton CC see Dejong RJ

Arbogast BS see Zheng X

Arcioni S see de Marchis F

Ardren WR see Jones AG

Ardren WR & Kapuscinski AR. Demographic and genetic estimates of effective population size (N_e) reveals genetic compensation in steelhead trout, 35

Argano R see Ketmaier V

Arita HT see Ortega J

Arnold KE, Orr KJ & Griffiths R. Primary sex ratios in birds: problems with molecular sex identification of undeveloped eggs, 3451

Aron S see de Menten L

Arroyo J see Hampe A

Arruda MF see Faulkes CG

Aspi J see Tero N

Atkinson RJ see Rokas A

Aubry KB see Drew RE

Audiot P see Brouat C

Austerlitz F see Dick CW

Austerlitz F see Oddou-Muratorio S

Austin JD, Dávila JA, Lougheed SC & Boag PT. Genetic evidence for female-biased dispersal in the bullfrog, *Rana catesbeiana* (Ranidae), 3165

Austin JJ, Nicholas Arnold E & Bour R. Was there a second adaptive radiation of giant tortoises in the Indian Ocean? Using mitochondrial DNA to investigate speciation and biogeography of *Aldabrachelys* (Reptilia, Testudinidae), 1415

Babik W, Szymura JM & Rafiński J. Nuclear markers, mitochondrial DNA and male secondary sexual traits variation in a newt hybrid zone (*Triturus vulgaris* × *T. montandoni*), 1913

Bachmann K see Hoffmann MH

Bacon PJ see Dallas JF

Baeza CM see Tremetsberger K

Baier B see Rüppell O

Bailey MJ see Lilley AK

Baker AJ see Bulgin NL

Baker AJ see Luttikhuizen PC

Baker AM, Bartlett C, Bunn SE, Goudkamp K, Sheldon F & Hughes JM. Cryptic species and morphological plasticity in long-lived bivalves (Unionoida: Hyriidae) from inland Australia, *2707*

Baker AM, Williams SA & Hughes JM. Patterns of spatial genetic structuring in a hydropsychid caddisfly (*Cheumatopsyche* sp. AV1) from southeastern Australia, 3313

***Baker DA*, Loxdale HD & Edwards OR.** Genetic variation and founder effects in the parasitoid wasp, *Diaeretiella rapae* (M'intosh) (Hymenoptera: Braconidae: Aphidiidae), affecting its potential as a biological control agent, 3303

Baker JD, Moran P & Ladley R. Nuclear DNA identification of migrating bull trout captured at the Puget Sound Energy diversion dam on the White River, Washington State, 557

Baker RJ see Belfiore NM

Baker RJ see Hoffmann FG

Bakker JP see Bockelmann A-C

Bala A, Murphy P & Giller KE. Distribution and diversity of rhizobia nodulating agroforestry legumes in soils from three continents in the tropics, 917

Balakrishnan CN, Monfort SL, Gaur A, Singh L & Sorenson MD. Phylogeography and conservation genetics of Eld's deer (*Cervus eldi*), 1

Baldwin BG see Kelch DG

Baldwin BG see Rajakaruna N

***Ball AO* & Chapman RW.** Population genetic analysis of white shrimp, *Litopenaeus setiferus*, using microsatellite genetic markers, 2319

Balshine S see Taylor MI

***Banks SC*, Horsup A, Wilton AN & Taylor AC.** Genetic marker investigation of the source and impact of predation on a highly endangered species, 1663

Baran I see Veith M

© 2003 Blackwell Publishing Ltd

Barr M see Lilley AK
Barrett TV see Monteiro FA
Bartlett C see Baker AM
Barton NH see Vines TH
Bartos J see Baudry E
Baudry E, Bartos J, Emerson K, Whitworth T & Werren JH. *Wolbachia* and genetic variability in the birdnest blowfly *Protocalliphora sialia*, 1843
Baxter JS see Taylor EB
Beard CB see Monteiro FA
Beebee TJC see Zeisset I
Belfiore NM, Hoffman FG, Baker RJ & DeWoody JA. The use of nuclear and mitochondrial single nucleotide polymorphisms to identify cryptic species, 2011
Bellucci M see de Marchis F
Bensch S see Hansson B
Benzie JAH see Uthicke S
Bergelson J see Traw MB
Berger L see Morehouse EA
Bermingham E see McCartney MA
Bermingham E see Novick RR
Bernard-Laurent A see Caizergues A
Bernatchez L see Campbell D
Bernatchez L see Saint-Laurent R
Bernatchez L see Strecker U
Bert TM see McMillen-Jackson AL
Bertel L see Deguilloux MF
Bertorelle G see Vernesi C
Best PB see Cassens I
Beyer J & May B. A graph-theoretic approach to the partition of individuals into full-sib families, 2243
Bierne N, Borsa P, Daguin C, Jollivet D, Viard F, Bonhomme F & David P. Introgression patterns in the mosaic hybrid zone between *Mytilus edulis* and *M. galloprovincialis*, 447
Bierne N, Daguin C, Bonhomme F, David P & Borsa P. Direct selection on allozymes is not required to explain heterogeneity among marker loci across a *Mytilus* hybrid zone, 2505
Bijlsma R see Bockelmann A-C
Bilton DT see Ribera I
Birò ZS see Pierpaoli M
Björklund M see Ödeen A
Blackwell M see Suh S-O
Blanchfield PJ, Ridgway MS & Wilson CC. Breeding success of male brook trout (*Salvelinus fontinalis*) in the wild, 2417
Blatrix R & Herbers JM. Coevolution between slave-making ants and their hosts: host specificity and geographical variation, 2809
Bleeker W. Hybridization and *Rorippa austriaca* (Brassicaceae) invasion in Germany, 1831
Blinn DW see Witt JDS
Blouin MS see Monsen KJ
Boag PT see Austin JD
Bockelmann A-C, Reusch TBH, Bijlsma R & Bakker JP. Habitat differentiation vs. isolation-by-distance: the genetic population structure of *Elymus athericus* in European salt marshes, 505
Bohm BA see Rajakaruna N
Bohonak AJ see Mun J
Boles SB see Shaw AJ
Bonhomme F see Bierne N
Bonhomme F see Say L
Bonilla MM see Zeh JA
Borsa P see Bierne N
Bouchard É, Cloutier C & Michaud D. Oryzacystatin I expressed in transgenic potato induces digestive compensation in an insect natural predator via its herbivorous prey feeding on the plant, 2439
Bouchard E, Michaud D & Cloutier C. Molecular interactions between an insect predator and its herbivore prey on transgenic potato expressing a cysteine proteinase inhibitor from rice, 2429
Bouletreau M see Mouton L
Bour R see Austin JJ
Bourke AFG see Chapman RE
Bousquet J see Gamache I
Bozhko M, Riegel R, Schubert R & Müller-Starck G. A cyclophilin gene marker confirming geographical differentiation of Norway spruce populations and indicating viability response on excess soil-born salinity, 3147
Brandstätter A see Salzburger W
Brant SV & Ortí G. Phylogeography of the Northern short-tailed shrew, *Blarina brevicauda* (Insectivora: Soricidae): past fragmentation and postglacial recolonization, 1435
Brant SV & Ortí G. Evidence for gene flow in parasitic nematodes between two host species of shrews, 2853
Brawn JD see Williams BL
Breitenmoser U see Wandeler P
Brenot J-F see Caizergues A
Brochmann C see Abbott RJ
Bronson K see Eckert CG
Brookes CP see Llewellyn KS
Brouat C, Sennedot F, Audiot P, Leblois R & Rasplus J-Y. Fine-scale genetic structure of two carabid species with contrasted levels of habitat specialization, 1731
Brown MJF, Schmid-Hempel R & Schmid-Hempel P. Queen-controlled sex ratios and worker reproduction in the bumble bee *Bombus hypnorum*, as revealed by microsatellites, 1599
Browne RA see Crespi EJ
Bruford MW see Telfer PT
Bruneau A see Eckert CG
Brunhoff C, Galbreath KE, Fedorov VB, Cook JA & Jaarola M. Holarctic phylogeography of the root vole (*Microtus oeconomus*): implications for late Quaternary biogeography of high latitudes, 957
Bulgin NL, Gibbs HL, Vickery P & Baker AJ. Ancestral polymorphisms in genetic markers obscure detection of evolutionarily distinct populations in the endangered Florida grasshopper sparrow (*Ammodramus savannarum floridanus*), 831
Bullini L see Cianchi R
Bunn SE see Baker AM
Burban C & Petit RJ. Phylogeography of maritime pine inferred with organelle markers having contrasted inheritance, 1487
Burke T see Domingo-Roura X
Burke T see Frantz AC
Burns BP see Neilan BA

Caccone A see Ketmaier V
Caccone A see Novick RR
Caccone A see Palkovacs EP
Cafasso D see Cozzolino S
Caizergues A, Bernard-Laurent A, Brenot J-F, Ellison L & Rasplus JY. Population genetic structure of rock ptarmigan *Lagopus mutus* in Northern and Western Europe, 2267

Caizergues A, Rätti O, Helle P, Rotelli L, Ellison L & Rasplus J-Y. Population genetic structure of male black grouse (*Tetrao tetrix* L.) in fragmented vs. continuous landscapes, 2297

Calsbeek R, Thompson JN & Richardson JE. Patterns of molecular evolution and diversification in a biodiversity hotspot: the California Floristic Province, 1021

Campbell D, Duchesne P & Bernatchez L. AFLP utility for population assignment studies: analytical investigation and empirical comparison with microsatellites, 1979

Caramelli D see Vernesi C

Cardoso MA see Lira CF

Cardoso SRS see Lira CF

Carpenter PJ see Frantz AC

Carss DN see Dallas JF

Carter DA see Kasuga T

Cassens I, Van Waerebeek K, Best PB, Crespo EA, Reyes J & Milinkovitch MC. The phylogeography of dusky dolphins (*Lagenorhynchus obscurus*): a critical examination of network methods and rooting procedures, 1781

Castañeda E see Kasuga T

Castella V see Ruedi M

Castiglione S see Fossati T

Cattan-Toupance I see De Meaux J

Caujapé-Castells J & Jansen RK. The influence of the Miocene Mediterranean desiccation on the geographical expansion and genetic variation of *Androcymbium gramineum* (Cav.) McBride (Colchicaceae), 1515

Cavers S, Navarro C & Lowe AJ. Chloroplast DNA phylogeography reveals colonization history of a Neotropical tree, *Cedrela odorata* L., in Mesoamerica, 1451

Cegelski CC, Waits LP & Anderson NJ. Assessing population structure and gene flow in Montana wolverines (*Gulo gulo*) using assignment-based approaches, 2907

Céspedes M, Gutierrez MV, Holbrook NM & Rocha OJ. Restoration of genetic diversity in the dry forest tree *Swietenia macrophylla* (Meliaceae) after pasture abandonment in Costa Rica, 3201

Chan R see Rajakaruna N

Chanin PRF see Dallas JF

Chapman RE, Wang J & Bourke AFG. Genetic analysis of spatial foraging patterns and resource sharing in bumble bee pollinators, 2801

Chapman RW see Ball AO

Charlesworth D see Wright SI

Cheke RA see Dallimer M

Chenoweth SF & Hughes JM. Oceanic interchange and nonequilibrium population structure in the estuarine dependent Indo-Pacific tasselfish, *Polynemus sheridani*, 2387

Cherry MI see Teske PR

Chiba S see Teshima H

Chuang W-J see Lin T-P

Chung J-D see Hwang S-Y

Cianchi R, Ungaro A, Marini M & Bullini L. Differential patterns of hybridization and introgression between the swallowtails *Papilio machaon* and *P. hospiton* from Sardinia and Corsica islands (Lepidoptera, Papilionidae), 1461

Ciofi C see Palkovacs EP

Cipollini DF see Traw MB

Clark SJ see Llewellyn KS

Clauss MJ & Mitchell-Olds T. Population genetics of tandem trypsin inhibitor genes in *Arabidopsis* species with contrasting ecology and life history, 1287

Clegg SM see Estoup A

Clegg SM, Kelly JF, Kimura M & Smith TB. Combining genetic markers and stable isotopes to reveal population connectivity and migration patterns in a Neotropical migrant, Wilson's warbler (*Wilsonia pusilla*), 819

Clifford SL see Telfer PT

Clift K see Liu H-P

Cloutier C see Bouchard E

Cloutier C see Bouchard É

Coart E, Vekemans X, Smulders MJM, Wagner I, Van Huylenbroeck J, Van Bockstaele E & Roldán-Ruiz I. Genetic variation in the endangered wild apple (*Malus sylvestris* (L.) Mill.) in Belgium as revealed by amplified fragment length polymorphism and microsatellite markers, 845

Coberly LC & Rausher MD. Analysis of a chalcone synthase mutant in *Ipomoea purpurea* reveals a novel function for flavonoids: amelioration of heat stress, 1113

Coleman M & Abbott RJ. Possible causes of morphological variation in an endemic Moroccan groundsel (*Senecio leucanthemifolius* var. *casablancae*): evidence from chloroplast DNA and random amplified polymorphic DNA markers, 423

Collevatti RG, Grattapaglia D & Hay JD. Evidences for multiple maternal lineages of *Caryocar brasiliense* populations in the Brazilian Cerrado based on the analysis of chloroplast DNA sequences and microsatellite haplotype variation, 105

Coltman DW, Pilkington JG & Pemberton JM. Fine-scale genetic structure in a free-living ungulate population, 733

Comes HP see Kropf M

Congiu L see Ludwig A

Contreras-Díaz HG, Moya O, Oromí P & Juan C. Phylogeography of the endangered darkling beetle species of *Pimelia* endemic to Gran Canaria (Canary Islands), 2131

Cook JA see Brunhoff C

Cook JA see Fedorov VB

Cook JA see Small MP

Cooper D, Cory JS & Myers JH. Hierarchical spatial structure of genetically variable nucleopolyhedroviruses infecting cyclic populations of western tent caterpillars, 881

Cordon-Rosales C see Monteiro FA

Corradini P see Eckert CG

Cory JS see Cooper D

Coulibaly G see Dejong RJ

Cox CJ see Shaw AJ

Coxon KE see Dallas JF

Coyer JA, Peters AF, Stam WT & Olsen JL. Post-ice age recolonization and differentiation of *Fucus serratus* L. (Phaeophyceae; Fucaceae) populations in Northern Europe, 1817

Coyne JA see Dixon SM

Cozzolino S, Cafasso D, Pellegrino G, Musacchio A & Widmer A. Fine-scale phylogeographical analysis of Mediterranean *Anacamptis palustris* (Orchidaceae) populations based on chloroplast minisatellite and microsatellite variation, 2783

Craven KD see Schardl CL

Crawford AJ. Huge populations and old species of Costa Rican and Panamanian dirt frogs inferred from mitochondrial and nuclear gene sequences, 2525

Creel S, Spong G, Sands JL, Rotella J, Zeigle J, Joe L, Murphy KM & Smith D. Population size estimation in Yellowstone wolves with error-prone noninvasive microsatellite genotypes, 2003

Crespi EJ, Rissler LJ & Browne RA. Testing Pleistocene refugia theory: phylogeographical analysis of *Desmognathus wrighti*, a high-elevation salamander in the southern Appalachians, 969

Crespo EA see Cassens I
Crestanello B see Vernesi C
Cristescu MEA, Hebert PDN & Onciu TM. Phylogeography of Ponto-Caspian crustaceans: a benthic–planktonic comparison, 985
Crozier RH see Sanetra M
Csóka G see Rokas A
Cuenca A, Escalante AE & Piñero D. Long-distance colonization, isolation by distance, and historical demography in a relictual Mexican pinyon pine (*Pinus nelsonii* Shaw) as revealed by paternally inherited genetic markers (cpSSRs), 2087
Culley TM & Grubb Jr TC. Genetic effects of habitat fragmentation in *Viola pubescens* (Violaceae), a perennial herb with chasmogamous and cleistogamous flowers, 2919
Cullings KW see Drew RE

Daguin C see Bierne N
Dahlberg A see Guidot A
Dale A see Docker MF
Dale C see Plague GR
Dallas JF see Telfer S
Dallas JF, Coxon KE, Sykes T, Chanin PRF, Marshall F, Carss DN, Bacon PJ, Piertney SB & Racey PA. Similar estimates of population genetic composition and sex ratio derived from carcasses and faeces of Eurasian otter *Lutra lutra*, 275
Dallimer M, Jones PJ, Pemberton JM & Cheke RA. Lack of genetic and plumage differentiation in the red-billed quelea *Quelea quelea* across a migratory divide in southern Africa, 345
D'Andrea PS see Dejong RJ
Dannewitz J see Palm S
Dauphin-Villemant C see David P
David JP, Huber K, Failloux AB, Rey D & Meyran JC. The role of environment in shaping the genetic diversity of the subalpine mosquito, *Aedes rusticus* (Diptera, Culicidae), 1951
David P see Bierne N
David P see Facon B
David P, Dauphin-Villemant C, Mesneau A & Meyran JC. Molecular approach to aquatic environmental bioreporting: differential response to environmental inducers of cytochrome P450 monooxygenase genes in the detritivorous subalpine planktonic Crustacea, *Daphnia pulex*, 2473
Dávila JA see Austin JD
Davison A see Teshima H
Day MJ see Lilley AK
De Meaux J, Cattan-Toupance I, Lavigne C, Langin T & Neema C. Polymorphism of a complex resistance gene candidate family in wild populations of common bean (*Phaseolus vulgaris*) in Argentina: comparison with phenotypic resistance polymorphism, 263
Dearborn DC, Anders AD, Schreiber EA, Adams RMM & Mueller UG. Inter-island movements and population differentiation in a pelagic seabird, 2835
Deguilloux MF, Pemonge MH, Bertel L, Kremer A & Petit RJ. Checking the geographical origin of oak wood: molecular and statistical tools, 1629
Dejong RJ, Morgan JAT, Wilson WD, Al-Jaser MH, Appleton CC, Coulibaly G, D'Andrea PS, Doenhoff MJ, Haas W, Idris MA, Magalhães LA, Moné H, Mouahid G, Mubila L, Pointier J-P, Webster JP, Zanotti-Magalhães EM, Paraense WL, Mkoji GM & Loker ES. Phylogeography of *Biomphalaria glabrata* and *B. pfeifferi*, important intermediate hosts of *Schistosoma mansoni* in the New and Old World tropics, 3041
Delahay RJ see Frantz AC
Delneste D see de Menten L
Demarais S see DeYoung RW
Demesure-Musch B see Oddou-Muratorio S
Desalle R see Goldstein PZ
Desmarais E see Say L
Desrochers AM see Rajakaruna N
DeWayne Shoemaker D, Keller G & Ross KG. Effects of *Wolbachia* on mtDNA variation in two fire ant species, 1757
DeWoody JA see Belfiore NM
DeWoody JA see Glaubitz JC
DeYoung RW, Demarais S, Honeycutt RL, Rooney AP, Gonzales RA & Gee KL. Genetic consequences of white-tailed deer (*Odocoileus virginianus*) restoration in Mississippi, 3237
Dick C see Novick RR
Dick CW, Etchelecu G & Austerlitz F. Pollen dispersal of tropical trees (*Dinizia excelsa*: Fabaceae) by native insects and African honeybees in pristine and fragmented Amazonian rainforest, 753
Ding K-Y see Song B-H
Disotell TR see Telfer PT
Dixon SM, Coyne JA & Noor MAF. The evolution of conspecific sperm precedence in Drosophila, 1179
Docker MF, Dale A & Heath DD. Erosion of interspecific reproductive barriers resulting from hatchery supplementation of rainbow trout sympatric with cutthroat trout, 3515
Doenhoff MJ see Dejong RJ
Domingo-Roura X, Macdonald DW, Roy MS, Marmi J, Terradas J, Woodroffe R, Burke T & Wayne RK. Confirmation of low genetic diversity and multiple breeding females in a social group of Eurasian badgers from microsatellite and field data, 533
Double MC see Abbott CL
Drake BG see Ainsworth EA
Drent J see Luttikhuizen PC
Drew RE, Hallett JG, Aubry KB, Cullings KW, Koepf SM & Zielinski WJ. Conservation genetics of the fisher (*Martes pennanti*) based on mitochondrial DNA sequencing, 51
Drovetski SV see Zink RM
Duchesne P see Campbell D
Dunham SM, Kretzer A & Pfrender ME. Characterization of Pacific golden chanterelle (*Cantharellus formosus*) genet size using co-dominant microsatellite markers, 1607
Dunn PO see Johnson JA
Durphy JL see Lexer C
D'Urso F, Sambade A, Moya A, Guerri J & Moreno P. Variation of haplotype distributions of two genomic regions of *Citrus tristeza virus* populations from eastern Spain, 517
Duvernell DD, Schmidt PS & Eanes WF. Clines and adaptive evolution in the *methuselah* gene region in *Drosophila melanogaster*, 1277

Eanes WF see Duvernell DD
Ebert D see Peakall R
Eckert CG, Lui K, Bronson K, Corradini P & Bruneau A. Population genetic consequences of extreme variation in sexual and clonal reproduction in an aquatic plant, 331
Edwards OR see Baker DA
Eggert JA see Eggert LS
Eggert LS, Eggert JA & Woodruff DS. Estimating population sizes for elusive animals: the forest elephants of Kakum National Park, Ghana, 1389

Ekman S see Printzen C
Ellegren H see Flagstad Ø
Ellegren H see Hellborg L
Ellegren H see Rueness EK
Ellison L see Caizergues A
Emerson K see Baudry E
Ennos RA see Rendell S
Enright S see Traw MB
Ernsting G see Van Der Wurff AWG
Escalante AE see Cuenca A
Estoup A & Clegg SM. Bayesian inferences on the recent island colonization history by the bird *Zosterops lateralis lateralis*, 657
Etchelecu G see Dick CW
***Etherton P* see Fillatre EK**

***Facon B, Pointier J-P,* Glaubrecht M, Poux C, Jarne P & David P.** A molecular phylogeography approach to biological invasions of the New World by parthenogenetic Thiarid snails, 3027
***Fadeev IV* see Zink RM**
Failloux AB see David JP
***Fastner J* see Neilan BA**
Faulkes CG, Arruda MF & Monteiro Da Cruz MAO. Matrilineal genetic structure within and among populations of the cooperatively breeding common marmoset, *Callithrix jacchus*, 1101
***Fay MF* see Tremetsberger K**
Feder ME see Williams KD
***Fedorov VB* see Brunhoff C**
Fedorov VB see Wickström LM
***Fedorov VB,* Goropashnaya AV, Jaarola M & Cook JA.** Phylogeography of lemmings (*Lemmus*): no evidence for postglacial colonization of Arctic from the Beringian refugium, 725
Feliciangeli D see Monteiro FA
***Fensham RJ* see Holman JE**
Fernandes M see Pierpaoli M
***Fernholm B* see Flagstad Ø**
Ferreira PCG see Lira CF
Ferry N, Raemaekers RJM, Majerus MEN, Jouanin L, Port G, Gatehouse JA & Gatehouse AMR. Impact of oilseed rape expressing the insecticidal cysteine protease inhibitor oryzacystatin on the beneficial predator *Harmonia axyridis* (multicoloured Asian ladybeetle), 493
Fevolden S-E see Pogson GH
Fickel J see Ludwig A
Fillatre EK, Etherton P & Heath DD. Bimodal run distribution in a northern population of sockeye salmon (*Oncorhynchus nerka*): life history and genetic analysis on a temporal scale, 1793
Fitter AH see Vandenkoornhuyse P
Fitzpatrick S see Monteiro FA
Flagstad Ø, Walker CW, Vilà C, Sundqvist A-K, Fernholm B, Hufthammer AK, Wiig Ø, Koyola I & Ellegren H. Two centuries of the Scandinavian wolf population: patterns of genetic variability and migration during an era of dramatic decline, 869
Fleischer RC see Ortega J
Fleming TH see Newton LR
Fontana F see Ludwig A
Forbes MR see Wong A
Fortunato A, Strassmann JE, Santorelli L & Queller DC. Co-occurrence in nature of different clones of the social amoeba, *Dictyostelium discoideum*, 1031
Fossati T, Grassi F, Sala F & Castiglione S. Molecular analysis of natural populations of *Populus nigra* L. intermingled with cultivated hybrids, 2033
Frantz AC, Pope LC, Carpenter PJ, Roper TJ, Wilson GJ, Delahay RJ & Burke T. Reliable microsatellite genotyping of the Eurasian badger (*Meles meles*) using faecal DNA, 1649
***Freeman-Gallant CR, Meguerdichian M, Wheelwright NT &* Sollecito SV.** Social pairing and female mating fidelity predicted by restriction fragment length polymorphism similarity at the major histocompatibility complex in a songbird, 3077
de Freitas RS see Kasuga T
Frick MG see Rawson PD
Fritsch RM see Hoffmann MH
Froufe E, Knizhin I, Koskinen MT, Primmer CR & Weiss S. Identification of reproductively isolated lineages of Amur grayling (*Thymallus grubii* Dybowski 1869): concordance between phenotypic and genetic variation, 2345
Frydenberg J, Hoffmann AA & Loeschcke V. DNA sequence variation and latitudinal associations in *hsp23*, *hsp26* and *hsp27* from natural populations of *Drosophila melanogaster*, 2025
Fukuda T see Teshima H
Fukuda T see Tsukaya H
Funk SM see Wandeler P

Gadau J, Strehl C-P, Oettler J & Hölldobler B. Determinants of intracolonial relatedness in *Pogonomyrmex rugosus* (Hymenoptera; Formicidae): mating frequency and brood raids, 1931
Gal M, Preston GM, Massey RC, Spiers AJ & Rainey PB. Genes encoding a cellulosic polymer contribute toward the ecological success of *Pseudomonas fluorescens* SBW25 on plant surfaces, 3109
Galbreath KE see Brunhoff C
Gamache I, Jaramillo-Correa JP, Payette S & Bousquet J. Diverging patterns of mitochondrial and nuclear DNA diversity in subarctic black spruce: imprint of a founder effect associated with postglacial colonization, 891
Ganley ARD see Morehouse EA
Garcia J see Mcelroy TC
García-Gil MR, Mikkonen M & Savolainen O. Nucleotide diversity at two phytochrome loci along a latitudinal cline in *Pinus sylvestris*, 1195
Gatehouse AMR see Ferry N
Gatehouse JA see Ferry N
Gaur A see Balakrishnan CN
Gee KL see DeYoung RW
Gerlach J see Palkovacs EP
Gessner J see Ludwig A
Gibbs AJ see Tomimura K
Gibbs HL see Bulgin NL
Gibby M see Squirrell J
Gibson G see Purugganan M
Gibson G see Riley RM
Gilbert M see de Menten L
Giller KE see Bala A
Gilles A see Salzburger W
Glaß AS see Hoffmann MH
Glaubitz JC, Rhodes OE & Dewoody JA. Prospects for inferring pairwise relationships with single nucleotide polymorphisms, 1039
Glaubrecht M see Facon B
Gloor S see Wandeler P
Godfray HCJ see Lilley AK

Goldstein PZ & Desalle R. Calibrating phylogenetic species formation in a threatened insect using DNA from historical specimens, 1993
Gonzales RA see DeYoung RW
Goropashnaya AV see Fedorov VB
Goudkamp K see Baker AM
Goulson D see Harper GL
Gow JL see Telfer S
Grace JK see Vargo EL
Grassi F see Fossati T
Grattapaglia D see Collevatti RG
Grattapaglia D see Lemes MR
Graves JA see Kimwele CN
Gribel R see Lemes MR
Griffith SC see Thuman KA
Griffiths R see Arnold KE
Grissell EE see Scheffer SJ
Grønkjær P see Nielsen EE
Grosberg RK see Tsutsui ND
Grubb Jr TC see Culley TM
Guerri J see D'Urso F
Gugerli P see Zwahlen C
Guidot A, Johannesson H, Dahlberg A & Stenlid J. Parental tracking in the postfire wood decay ascomycete *Daldinia loculata* using highly variable nuclear gene loci, 1717
Gutierrez MV see Céspedes M
Guyomard R see Rognon X
Gyllenstrand N & Seppä P. Conservation genetics of the wood ant, *Formica lugubris*, in a fragmented landscape, 2931

Haas W see Dejong RJ
Haldimann P, Steinger T & Müller-Schärer H. Low genetic differentiation among seasonal cohorts in *Senecio vulgaris* as revealed by amplified fragment length polymorphism analysis, 2541
Hallam SJ see Won Y
Hallett JG see Drew RE
Hamilton JGC see Maingon RDC
Hämmerli A & Reusch TBH. Inbreeding depression influences genet size distribution in a marine angiosperm, 619
Hampe A, Arroyo J, Jordano P & Petit RJ. Rangewide phylogeography of a bird-dispersed Eurasian shrub: contrasting Mediterranean and temperate glacial refugia, 3415
Hansen MM see Nielsen EE
Hansen MM see Østergaard S
Hansson B, Bensch S & Hasselquist D. A new approach to study dispersal: immigration of novel alleles reveals female-biased dispersal in great reed warblers, 631
Hantula J see Wickström LM
Hardy OJ see Heuertz M
Hardy OJ. Estimation of pairwise relatedness between individuals and characterization of isolation-by-distance processes using dominant genetic markers, 1577
Harper GL, Maclean N & Goulson D. Microsatellite markers to assess the influence of population size, isolation and demographic change on the genetic structure of the UK butterfly *Polyommatus bellargus*, 3349
Harrington R see Llewellyn KS
Harwood JD see Agustí N
Hasselquist D see Hansson B
Hauffe H see Vernesi C
Haukisalmi V see Wickström LM
Hausman J-F see Heuertz M
Hay JD see Collevatti RG
Hayden TJ see Say L
Haynes S, Jaarola M & Searle JB. Phylogeography of the common vole (*Microtus arvalis*) with particular emphasis on the colonization of the Orkney archipelago, 951
Heath DD see Docker MF
Heath DD see Fillatre EK
Heath DD see Shrimpton JM
Hebert PDN see Cristescu MEA
Hebert PDN see Witt JDS
Heckel G & Von Helversen O. Genetic mating system and the significance of harem associations in the bat *Saccopteryx bilineata*, 219
Hedrén M. Plastid DNA variation in the *Dactylorhiza incarnata/maculata* polyploid complex and the origin of allotetraploid *D. sphagnicola* (Orchidaceae), 2669
Heins-Vaccari EM see Kasuga T
Heinze J see Rüppell O
Helin AB see Williams KD
Hellberg ME see McGovern TM
Hellborg L see Rueness EK
Hellborg L & Ellegren H. Y chromosome conserved anchored tagged sequences (YCATS) for the analysis of mammalian male-specific DNA, 283
Helle P see Caizergues A
Hempel M see Salzburger W
Henri H see Mouton L
Henttonen H see Wickström LM
Herbers JM see Blatrix R
Heredia C see McCartney MA
Hershler R see Liu H-P
Herrmann M see Pierpaoli M
Heuertz M, Vekemans X, Hausman J-F, Palada M & Hardy OJ. Estimating seed vs. pollen dispersal from spatial genetic structure in the common ash, 2483
Hewitt GM see Zhang D-X
Hidding B, Michel E, Natyaganova AV & Sherbakov DYu. Molecular evidence reveals a polyphyletic origin and chromosomal speciation of Lake Baikal's endemic asellid isopods, 1509
Hilbeck A see Zwahlen C
Hille SM, Nesje M & Segelbacher G. Genetic structure of kestrel populations and colonization of the Cape Verde archipelago, 2145
Hillman SI see Liu Y-C
Hobæk A see Weider LJ
Hoekstra HE & Nachman MW. Different genes underlie adaptive melanism in different populations of rock pocket mice, 1185
Hoelzel AR see Walker NF
Hoffman FG see Belfiore NM
Hoffmann AA see Frydenberg J
Hoffmann FG & Baker RJ. Comparative phylogeography of short-tailed bats (*Carollia*: Phyllostomidae), 3403
Hoffmann FG, Owen JG & Baker RJ. mtDNA perspective of chromosomal diversification and hybridization in Peters' tent-making bat (*Uroderma bilobatum*: Phyllostomidae), 2981
Hoffmann MH, Glaß AS, Tomiuk J, Schmuths H, Fritsch RM & Bachmann K. Analysis of molecular data of *Arabidopsis thaliana* (L.) Heynh. (Brassicaceae) with Geographical Information Systems (GIS), 1007

Hogetsu T see Lian C
Hogetsu T see Zhou Z
Hogg ID see Stevens MI
Höglund J see Segelbacher G
Höglund J & Shorey L. Local genetic structure in a white-bearded manakin population, 2457
Holbrook NM see Céspedes M
Hölldobler B see Gadau J
Hollingsworth PM see Squirrell J
Holman JE, Hughes JM & Fensham RJ. A morphological cline in *Eucalyptus*: a genetic perspective, 3013
Honeycutt RL see DeYoung RW
Hong D-Y see Song B-H
Hoofer SR see Van Den Bussche RA
Horsup A see Banks SC
Hosken DJ see Oppliger A
Houot M-L see Oddou-Muratorio S
Howald R see Zwahlen C
Hsieh C see McCauley DE
Huang SSF see Lin T-P
Huber K see David JP
Hufthammer AK see Flagstad Ø
Hughes JM see Baker AM
Hughes JM see Chenoweth SF
Hughes JM see Holman JE
Hughes JM, Mather PB, Toon A, Ma J, Rowley I & Russell E. High levels of extra-group paternity in a population of Australian magpies *Gymnorhina tibicen*: evidence from microsatellite analysis, 3441
Hulme PE see Walker NF
Hupe K see Pierpaoli M
Husseneder C see Vargo EL
Hwang S-Y see Lin T-P
Hwang S-Y, Lin T-P, Ma C-S, Lin C-L, Chung J-D & Yang J-Ch. Postglacial population growth of *Cunninghamia konishii* (Cupressaceae) inferred from phylogeographical and mismatch analysis of chloroplast DNA variation, 2689

Idris MA see Dejong RJ
Isaaks JA see Van Der Wurff AWG

Jaarola M see Brunhoff C
Jaarola M see Fedorov VB
Jaarola M see Haynes S
Jaenike J see Perlman SJ
Jäkäläniemi A see Tero N
Jakobsen KS see Rueness EK
James TY see Morehouse EA
Jamnongluk W see Kittayapong P
Jansen RK see Caujapé-Castells J
Jaramillo-Correa JP see Gamache I
Jarne P see Facon B
Järvi T see Palm S
Järvinen P, Lemmetyinen J, Savolainen O & Sopanen T. DNA sequence variation in *BpMADS2* gene in two populations of *Betula pendula*, 369
Jemielity S & Keller L. Queen control over reproductive decisions — no sexual deception in the ant *Lasius niger*, 1589
Jenner CE see Tomimura K
Jin W see Riley RM
Joe L see Creel S
Johannesson H see Guidot A
Johansen AD & Latta RG. Mitochondrial haplotype distribution, seed dispersal and patterns of postglacial expansion of ponderosa pine, 293
Johnson JF, Toepfer JE & Dunn PO. Contrasting patterns of mitochondrial and microsatellite population structure in fragmented populations of greater prairie-chickens, 3335
Jollivet D see Bierne N
Jones AG & Ardren WR. Methods of parentage analysis in natural populations, 2511
Jones PJ see Dallimer M
Jones TH see Lilley AK
Jordano P see Hampe A
Jorde PE see Knutsen H
Jorde PE see Rueness EK
Jouanin L see Ferry N
Jovelin R, Ajie BC & Phillips PC. Molecular evolution and quantitative variation for chemosensory behaviour in the nematode genus *Caenorhabditis*, 1325
Juan C see Contreras-Díaz HG

Kadereit JW see Kropf M
Kandl KL see Mcelroy TC
Kaneko S see Liu Y-C
Kantanen J see Tapio M
Kapuscinski AR see Ardren WR
Karlsson S & Mork J. Selection-induced variation at the pantophysin locus (*Pan*I) in a Norwegian fjord population of cod (*Gadus morhua* L.), 3265
Kasuga T, White TJ, Koenig G, Mcewen J, Restrepo A, Castañeda E, da Silva Lacaz C, Heins-Vaccari EM, de Freitas RS, Zancopé-Oliveira RM, Qin Z, Negroni R, Carter DA, Mikami Y, Tamura M, Taylor ML, Miller GF, Poonwan N & Taylor JW. Phylogeography of the fungal pathogen *Histoplasma capsulatum*, 3383
Kauppinen SN see Tsutsui ND
Kawata M see Teshima H
Kelch DG & Baldwin BG. Phylogeny and ecological radiation of New World thistles (*Cirsium*, Cardueae — Compositae) based on ITS and ETS rDNA sequence data, 141
Keller G see DeWayne Shoemaker D
Keller L see Jemielity S
Kelly BT see Adams JR
Kelly JF see Clegg SM
Kemp SJ see Maingon RDC
Kenagy GJ see Zheng X
Kendall KC see Murphy MA
Ketmaier V, Argano R & Caccone A. Phylogeography and molecular rates of subterranean aquatic Stenasellid Isopods with a peri-Tyrrhenian distribution, 547
Kilshaw K see Lilley AK
Kim J see Traw MB
Kimura M see Clegg SM
Kimwele CN & Graves JA. A molecular genetic analysis of the communal nesting of the ostrich (*Struthio camelus*), 229
Kittayapong P, Jamnongluk W, Thipaksorn A, Milne JR & Sindhusake C. *Wolbachia* infection complexity among insects in the tropical rice-field community, 1049
Knizhin I see Froufe E
Knutsen H, Jorde PE, André C & Stenseth NC. Fine-scaled geographical population structuring in a highly mobile marine species: the Atlantic cod, 385
Kocher TD see Streelman JT

Koenig G see Kasuga T
Koepf SM see Drew RE
Konings A see Smith PF
Kontula T & Väinölä R. Relationships of Palearctic and Nearctic 'glacial relict' *Myoxocephalus* sculpins from mitochondrial DNA data, 3179
Kornfield I see Smith PF
Koskinen MT see Froufe E
Kosuch J see Veith M
Koyola I see Flagstad Ø
Kraaijeveld-Smit FJL, Ward SJ & Temple-Smith PD. Paternity success and the direction of sexual selection in a field population of a semelparous marsupial, *Antechinus agilis*, 475
Kremer A see Deguilloux MF
Kretzer A see Dunham SM
Kropf M, Kadereit JW & Comes HP. Differential cycles of range contraction and expansion in European high mountain plants during the Late Quaternary: insights from *Pritzelago alpina* (L.) O. Kuntze (Brassicaceae), 931
Kuivila KM see Whitehead A
Kuwahara Y see Teshima H

Ladley R see Baker JD
Lambin X see Telfer S
Lampert KP, Rand AS, Mueller UG & Ryan MJ. Fine-scale genetic pattern and evidence for sex-biased dispersal in the túngara frog, *Physalaemus pustulosus*, 3325
Lancaster M see Vorburger C
Langin T see De Meaux J
Largiadèr CR see Wandeler P
Lascoux M see Palmé AE
Latorre A see Russell JA
Latta RG see Johansen AD
Lauga B see Wright SI
Laugen AT see Palo JU
Laurent NM see Masta SE
Laurila A see Palo JU
Laurila A see Tiira K
Lavigne C see De Meaux J
Lawler RR, Richard AF & Riley MA. Genetic population structure of the white sifaka (*Propithecus verreauxi verreauxi*) at Beza Mahafaly Special Reserve, southwest Madagascar (1992–2001), 2307
Lawton-Rauh A, Robichaux RH & Purugganan MD. Patterns of nucleotide variation in homoeologous regulatory genes in the allotetraploid Hawaiian silversword alliance (Asteraceae), 1301
Leblois R see Brouat C
Legault M see Saint-Laurent R
Lemes MR see Novick RR
Lemes MR, Gribel R, Proctor J & Grattapaglia D. Population genetic structure of mahogany (*Swietenia macrophylla* King, Meliaceae) across the Brazilian Amazon, based on variation at microsatellite loci: implications for conservation, 2875
Lemmetyinen J see Järvinen P
Leonard JA see Adams JR
Lexer C, Welch ME, Durphy JL & Rieseberg LH. Natural selection for salt tolerance quantitative trait loci (QTLs) in wild sunflower hybrids: Implications for the origin of *Helianthus paradoxus*, a diploid hybrid species, 1225
Lian C see Zhou Z
Lian C, Oishi R, Miyashita N, Nara K, Nakaya H, Wu B, Zhou Z & Hogetsu T. Genetic structure and reproduction dynamics of *Salix reinii* during primary succession on Mount Fuji, as revealed by nuclear and chloroplast microsatellite analysis, 609
Libois R see Michaux JR
Lilley AK, Bailey MJ, Barr M, Kilshaw K, Timms-Wilson TM, Day MJ, Norris SJ, Jones TH & Godfray HCJ. Population dynamics and gene transfer in genetically modified bacteria in a model microcosm, 3097
Lin C-L see Hwang S-Y
Lin T-P see Hwang S-Y
Lin T-P, Chuang, W-J, Huang SSF & Hwang S-Y. Evidence for the existence of some dissociation in an otherwise strong linkage disequilibrium between mitochondrial and chloroplastic genomes in *Cyclobalanopsis glauca*, 2661
Linder-Basso D see Liu Y-C
Lira CF, Cardoso SRS, Ferreira PCG, Cardoso MA & Provan J. Long-term population isolation in the endangered tropical tree species *Caesalpinia echinata* Lam. revealed by chloroplast microsatellites, 3219
Lisenby JD see McCauley DE
Liu H-P, Hershler R & Clift K. Mitochondrial DNA sequences reveal extensive cryptic diversity within a western American springsnail, 2771
Liu Y-C, Linder-Basso D, Hillman BI, Kaneko S & Milgroom MG. Evidence for interspecies transmission of viruses in natural populations of filamentous fungi in the genus *Cryphonectria*, 1619
Llewellyn KS, Loxdale HD, Harrington R, Brookes CP, Clark SJ & Sunnucks P. Migration and genetic structure of the grain aphid (*Sitobion avenae*) in Britain related to climate and clonal fluctuation as revealed using microsatellites, 21
Lloyd BD. The demographic history of the New Zealand short-tailed bat *Mystacina tuberculata* inferred from modified control region sequences, 1895
Lobel PS see Ramon ML
Loeschcke V see Frydenberg J
Loeschcke V see Østergaard S
Loeschcke V see Tomiuk J
Loker ES see Dejong RJ
Long SP see Ainsworth EA
Longcore JE see Morehouse EA
Lougheed SC see Austin JD
Lowe AJ see Cavers S
Lowe AJ see Squirrell J
Loxdale HD see Baker DA
Loxdale HD see Llewellyn KS
Lucchini V see Randi E
Ludwig A, Congiu L, Pitra C, Fickel J, Gessner J, Fontana F, Patarnello T & Zane L. Nonconcordant evolutionary history of maternal and paternal lineages in Adriatic sturgeon, 3253
Lui K see Eckert CG
Luttikhuizen PC, Drent J & Baker AJ. Disjunct distribution of highly diverged mitochondrial lineage clade and population subdivision in a marine bivalve with pelagic larval dispersal, 2215
Lutz RA see Won Y
Lydeard C see Minton RL

Ma C-S see Hwang S-Y
Ma J see Hughes JM

Macdonald DW see Domingo-Roura X
Maclean N see Harper GL
Maclean N see Maggioni R
Macnamee R see Rawson PD
Magalhães LA see Dejong RJ
Maggioni R, Rogers AD & Maclean N. Population structure of *Litopenaeus schmitti* (Decapoda: Penaeidae) from the Brazilian coast identified using six polymorphic microsatellite loci, 3213
Magnanou E see Michaux JR
Maingon RDC, Ward RD, Hamilton JGC, Noyes HA, Souza N, Kemp SJ & Watts PC. Genetic identification of two sibling species of *Lutzomyia longipalpis* (Diptera: Psychodidae) that produce distinct male sex pheromones in Sobral, Ceará State, Brazil, 1879
Majerus MEN see Ferry N
Maldonado JE see Ortega J
Manni F see Palmé AE
de Marchis F, Bellucci M & Arcioni S. Measuring gene flow from two birdsfoot trefoil (*Lotus corniculatus*) field trials using transgenes as tracer markers, 1681
Marini M see Cianchi R
Marmi J see Domingo-Roura X
Marschner M see Palkovacs EP
Marshall CJ see Suh S-O
Marshall F see Dallas JF
Marshall F see Telfer S
Martin J-F see Watt WB
Maruta E see Zhou Z
Marx PA see Telfer PT
Masta SE, Laurent NM & Routman EJ. Population genetic structure of the toad *Bufo woodhousii*: an empirical assessment of the effects of haplotype extinction on nested cladistic analysis, 1541
Massey RC see Gal M
Mather PB see Hughes JM
Matthee CA see Teske PR
May B see Beyer J
May B see Whitehead A
McCartney MA, Acevedo J, Heredia C, Rico C, Quenoville B, Bermingham E & McMillan WO. Genetic mosaic in a marine species flock, 2963
McCauley DE & Olson MS. Associations among cytoplasmic molecular markers, gender, and components of fitness in *Silene vulgaris*, a gynodioecious plant, 777
McCauley DE, Smith RA, Lisenby JD & Hsieh C. The hierarchical spatial distribution of chloroplast DNA polymorphism across the introduced range of *Silene vulgaris*, 3227
Mcelroy TC, Kandl KL, Garcia J & Trexler JC. Extinction-colonization dynamics structure genetic variation of spotted sunfish (*Lepomis punctatus*) in the Florida Everglades, 355
Mcewen J see Kasuga T
McGovern TM & Hellberg ME. Cryptic species, cryptic endosymbionts, and geographical variation in chemical defences in the bryozoan *Bugula neritina*, 1207
McHugh JV see Suh S-O
McKay JK, Richards JH & Mitchell-Olds T. Genetics of drought adaptation in *Arabidopsis thaliana*: I. Pleiotropy contributes to genetic correlations among ecological traits, 1137
McMillan WO see McCartney MA
McMillen-Jackson AL & Bert TM. Disparate patterns of population genetic structure and population history in two sympatric penaeid shrimp species (*Farfantepenaeus aztecus* and *Litopenaeus setiferus*) in the eastern United States, 2895
Meagher PF see Peakall R
Meguerdichian M see Freeman-Gallant CR
Meldrup D see Nielsen EE
de Menten L, Niculita H, Gilbert M, Delneste D & Aron S. Fluorescence *in situ* hybridization: a new method for determining primary sex ratio in ants, 1637
Merilä J see Palo JU
Mes THM. Demographic expansion of parasitic nematodes of livestock based on mitochondrial DNA regions that conflict with the infinite-sites model, 1555
Mesneau A see David P
Meyer A see Salzburger W
Meyer EH see Watt WB
Meyran JC see David JP
Meyran JC see David P
Miceikienė I see Tapio M
Michaud D see Bouchard E
Michaud D see Bouchard É
Michaux JR, Magnanou E, Paradis E, Nieberding C & Libois R. Mitochondrial phylogeography of the Woodmouse (*Apodemus sylvaticus*) in the Western Palearctic region, 685
Michel E see Hidding B
Michiels NK see Pongratz N
Mikami Y see Kasuga T
Mikkonen M see García-Gil MR
Milgroom MG see Liu Y-C
Milinkovitch MC see Cassens I
Miller CR, Adams JR & Waits LP. Pedigree-based assignment tests for reversing coyote (*Canis latrans*) introgression into the wild red wolf (*Canis rufus*) population, 3287
Miller DJ & Van Oppen MJH. A 'fair go' for coral hybridization, 805
Miller GF see Kasuga T
Miller SR. Evidence for the adaptive evolution of the carbon fixation gene *rbcL* during diversification in temperature tolerance of a clade of hot spring cyanobacteria, 1237
Mills LS see Schwartz MK
Milne JR see Kittayapong P
Milne RI, Terzioglu S & Abbott RJ. A hybrid zone dominated by fertile F_1s: maintenance of species barriers in *Rhododendron*, 2719
Minton RL & Lydeard C. Phylogeny, taxonomy, genetics and global heritage ranks of an imperilled, freshwater snail genus *Lithasia* (Pleuroceridae), 75
Mitchell-Olds T see Clauss MJ
Mitchell-Olds T see McKay JK
Miwa M see Zhou Z
Miyashita N see Lian C
Miyashita N see Zhou Z
Mkoji GM see Dejong RJ
Moné H see Dejong RJ
Monfort SL see Balakrishnan CN
Monsen KJ & Blouin MS. Genetic structure in a montane ranid frog: restricted gene flow and nuclear–mitochondrial discordance, 3275
Monteiro Da Cruz MAO see Faulkes CG
Monteiro FA, Barrett TV, Fitzpatrick S, Cordon-Rosales C, Feliciangeli D & Beard CB. Molecular phylogeography of the Amazonian Chagas disease vectors *Rhodnius prolixus* and *R. robustus*, 997
Montoya-Burgos JI. Historical biogeography of the catfish genus *Hypostomus* (Siluriformes: Loricariidae), with implications on the diversification of Neotropical ichthyofauna, 1855

Moran NA see Plague GR
Moran NA see Russell JA
Moran P see Baker JD
Morehouse EA, James TY, Ganley ARD, Vilgalys R, Berger L, Murphy PJ & Longcore JE. Multilocus sequence typing suggests the chytrid pathogen of amphibians is a recently emerged clone, 395
Moreno P see D'Urso F
Morgan JAT see Dejong RJ
Morin PA see Wandeler P
Mork J see Karlsson S
Morley JI see Taylor MI
Mouahid G see Dejong RJ
Mouton L, Henri H, Bouletreau M & Vavre F. Strain-specific regulation of intracellular *Wolbachia* density in multiply infected insects, *3459*
Moya A see D'Urso F
Moya A see Russell JA
Moya O see Contreras-Díaz HG
Mubila L see Dejong RJ
Mueller UG see Dearborn DC
Mueller UG see Lampert KP
Muller MH, Prosperi JM, Santoni S & Ronfort J. Inferences from mitochondrial DNA patterns on the domestication history of alfalfa (*Medicago sativa*), 2187
Müller-Schärer H see Haldimann P
Müller-Starck G see Bozhko M
Mun J, Bohonak AJ & Roderick GK. Population structure of the pumpkin fruit fly Bactrocera depressa (Tephritidae) in Korea and Japan: Pliocene allopatry or recent invasion?, *2941*
Murphy KM see Creel S
Murphy MA, Waits LP & Kendall KC. The influence of diet on faecal DNA amplification and sex identification in brown bears (*Ursus arctos*), 2261
Murphy P see Bala A
Murphy PJ see Morehouse EA
Musacchio A see Cozzolino S
Myers JH see Cooper D

Nachman MW see Hoekstra HE
Naciri-Graven Y see Oppliger A
Nakaya H see Lian C
Nakaya H see Zhou Z
Nara K see Lian C
Nara K see Zhou Z
Nassar JM see Newton LR
Natyaganova AV see Hidding B
Naulty F see Say L
Navarro C see Cavers S
Navarro C see Novick RR
Neema C see De Meaux J
Negroni R see Kasuga T
Neilan BA, Saker ML, Fastner J, Törökné A & Burns BP. Phylogeography of the invasive cyanobacterium *Cylindrospermopsis raciborskii*, *133*
Nentwig W see Zwahlen C
Nesje M see Hille SM
Nesterov EV see Zink RM
Newton LR, Nassar JM & Fleming TH. Genetic population structure and mobility of two nectar-feeding bats from Venezuelan deserts: inferences from mitochondrial DNA, 3191
Nicholas Arnold E see Austin JJ
Niculita H see de Menten L
Nieberding C see Michaux JR
Nielsen EE see Østergaard S
Nielsen EE, Hansen MM, Ruzzante DE, Meldrup D & Grønkjær P. Evidence of a hybrid-zone in Atlantic cod (*Gadus morhua*) in the Baltic and the Danish Belt Sea revealed by individual admixture analysis, 1497
Nielsen R, Tarpy DR & Reeve HK. Estimating effective paternity number in social insects and the effective number of alleles in a population, 3157
Niklfeld H see Schönswetter P
Nishimura N see Torimaru T
Noor MAF see Dixon SM
Norris SJ see Lilley AK
Novick RR, Dick C, Lemes MR, Navarro C, Caccone A & Bermingham E. Genetic structure of Mesoamerican populations of Big-leaf mahogany (*Swietenia macrophylla*) inferred from microsatellite analysis, 2885
Noyes HA see Maingon RDC

O'Connor D & Shine R. Lizards in 'nuclear families': a novel reptilian social system in *Egernia saxatilis* (Scincidae), 743
Oddou-Muratorio S, Houot M-L, Demesure-Musch B & Austerlitz F. Pollen flow in the wildservicetree, *Sorbus torminalis* (L.) Crantz. I. Evaluating the paternityanalysis procedure in continuous populations, *3427*
Ödeen A & Björklund M. Dynamics in the evolution of sexual traits: losses and gains, radiation and convergence in yellow wagtails (*Motacilla flava*), 2113
Oettler J see Gadau J
Offord CA see Peakall R
Ogimura H see Teshima H
O'Hara RB see Palo JU
Ohshima K see Tomimura K
Oishi R see Lian C
Oishi R see Zhou Z
Oliver JC see Voss SR
Olsen JL see Coyer JA
Olson MS see McCauley DE
O'Mullan GD see Won Y
Onciu TM see Cristescu MEA
van Oppen MJH see Ulstrup KE
Oppliger A, Naciri-Graven Y, Ribi G & Hosken DJ. Sperm length influences fertilization success during sperm competition in the snail *Viviparus ater*, 485
Oromí P see Contreras-Díaz HG
Orr KJ see Arnold KE
Ortega J, Maldonado, JE, Wilkinson GS, Arita HT & Fleischer RC. Male dominance, paternity, and relatedness in the Jamaican fruit-eating bat (*Artibeus jamaicensis*), 2409
Ortega Y see Schwartz MK
Ortí G see Brant SV
Østergaard S, Hansen MM, Loeschcke V & Nielsen EE. Long-term temporal changes of genetic composition in brown trout (*Salmo trutta* L.) populations inhabiting an unstable environment, 3123
Owen JG see Hoffmann FG
Oyafuso AF see Tsutsui ND

Paetkau D. An empirical exploration of data quality in DNA-based population inventories, 1375
Paige KN see Williams BL

Palada M see Heuertz M

Palkovacs EP, Marschner M, Ciofi C, Gerlach J & Caccone A. *Are the native giant tortoises from the Seychelles* really extinct? A genetic perspective based on mtDNA and microsatellite data, 1403

Palm S, Dannewitz J, Järvi T, Petersson E, Prestegaard T & Ryman N. Lack of molecular genetic divergence between sea-ranched and wild sea trout (*Salmo trutta*), 2057

Palmé AE, Su Q, Rautenberg A, Manni F & Lascoux M. Post-glacial recolonization and cpDNA variation of silver birch, *Betula pendula*, 201

Palo JU, O'Hara RB, Laugen AT, Laurila A, Primmer CR & Merilä J. Latitudinal divergence of common frog (*Rana temporaria*) life history traits by natural selection: evidence from a comparison of molecular and quantitative genetic data, 1963

Paradis E see Michaux JR

Paraense WL see Dejong RJ

Parker MA. Genetic markers for analysing symbiotic relationships and lateral gene transfer in Neotropical bradyrhizobia, 2447

Parson W see Salzburger W

Patarnello T see Ludwig A

Paun O see Schönswetter P

Payette S see Gamache I

Peakall R, Ebert D, Scott LJ, Meagher PF & Offord CA. Comparative genetic study confirms exceptionally low genetic variation in the ancient and endangered relictual conifer, *Wollemia nobilis* (Araucariaceae), 2331

Pecchioli E see Vernesi C

Pellegrino G see Cozzolino S

Pemberton JM see Coltman DW

Pemberton JM see Dallimer M

Pemonge MH see Deguilloux MF

Perlman SJ, Spicer GS, Shoemaker DD & Jaenike J. Associations between mycophagous *Drosophila* and their *Howardula* nematode parasites: a worldwide phylogenetic shuffle, 237

Peters AF see Coyer JA

Petersson E see Palm S

Petit RJ see Burban C

Petit RJ see Deguilloux MF

Petit RJ see Hampe A

Pettifor RA see Wandeler P

Peuhkuri N see Tiira K

Pfenninger M, Staubach S, Albrecht C, Streit B & Schwenk K. Ecological and morphological differentiation among cryptic evolutionary lineages in freshwater limpets of the nominal form-group *Ancylus fluviatilis* (O.F. Müller, 1774), 2731

Pfrender ME see Dunham SM

Philipp M & Siegismund HR. What can morphology and isozymes tell us about the history of the *Dryas integrifolia–octopetala* complex?, 2231

Phillips PC see Jovelin R

Phua SH see Slate J

Pierpaoli M, Birò ZS, Herrmann M, Hupe K, Fernandes M, Ragni B, Szemethy L & Randi E. Genetic distinction of wildcat (*Felis silvestris*) populations in Europe, and hybridization with domestic cats in Hungary, 2585

Piertney SB see Dallas JF

Piertney SB see Telfer S

Piironen J see Tiira K

Pilkington JG see Coltman DW

Piñero D see Cuenca A

Pitra C see Ludwig A

Plague GR, Dale C & Moran NA. Low and homogeneous copy number of plasmid-borne symbiont genes affecting host nutrition in *Buchnera aphidicola* of the aphid *Uroleucon ambrosiae*, 1095

Pogson GH & Fevolden S-E. Natural selection and the genetic differentiation of coastal and Arctic populations of the Atlantic cod in northern Norway: a test involving nucleotide sequence variation at the pantophysin (*Pan*I) locus, 63

Pointier J-P see Dejong RJ

Pointier J-P see Facon B

Pongratz N & Michiels NK. High multiple paternity and low last-male sperm precedence in a hermaphroditic planarian flatworm: consequences for reciprocity patterns, 1425

Pontier D see Say L

Poonwan N see Kasuga T

Pope LC see Frantz AC

Port G see Ferry N

Porter AH. A test for deviation from island-model population structure, 903

Posluszny J see Williams KD

Poux C see Facon B

Powell W see Squirrell J

Prestegaard T see Palm S

Preston GM see Gal M

Primmer CR see Froufe E

Primmer CR see Palo JU

Primmer CR see Tiira K

Printzen C, Ekman S & Tønsberg T. Phylogeography of *Cavernularia hultenii*: evidence of slow genetic drift in a widely disjunct lichen, 1473

Proctor J see Lemes MR

Prosperi JM see Muller MH

Provan J see Lira CF

Prudic KL see Voss SR

Purugganan M & Gibson G. Merging Ecology, Molecular Evolution, and Functional Genetics, 1109

Purugganan MD see Lawton-Rauh A

Qin Z see Kasuga T

Queller DC see Fortunato A

Quenoville B see McCartney MA

Questiau S see Zink RM

Racey PA see Dallas JF

Raemaekers RJM see Ferry N

Rafiński J see Babik W

Ragni B see Pierpaoli M

Rainey PB see Gal M

Rajakaruna N, Baldwin BG, Chan R, Desrochers AM, Bohm BA & Whitton J. Edaphic races and phylogenetic taxa in the *Lasthenia californica* complex (Asteraceae: Helianthеae): an hypothesis of parallel evolution, 1675

Ramon ML, Lobel PS & Sorenson MD. Lack of mitochondrial genetic structure in hamlets (*Hypoplectrus* spp.): recent speciation or ongoing hybridization?, 2975

Rand AS see Lampert KP

Randi E see Pierpaoli M

Randi E, Tabarroni C, Rimondi S, Lucchini V & Sfougaris A. Phylogeography of the rock partridge (*Alectoris graeca*), 2201

Ranta E see Tiira K

Rasplus J-Y see Brouat C

Rasplus J-Y see Caizergues A

Rasplus JY see Caizergues A
Rätti O see Caizergues A
Rausher MD see Coberly LC
Rautenberg A see Palmé AE
Rawson PD, Macnamee R, Frick MG & Williams KL. Phylogeography of the coronulid barnacle, *Chelonibia testudinaria*, from loggerhead sea turtles, *Caretta caretta*, 2697
Reeve HK see Nielsen R
Reineke A, Schmidt O & Zebitz CPW. Differential gene expression in two strains of the endoparasitic wasp *Venturia canescens* identified by cDNA-amplified fragment length polymorphism analysis, 3485
Rendell S & Ennos RA. Chloroplast DNA diversity of the dioecious European tree *Ilex aquifolium* L. (English holly), 2681
Restrepo A see Kasuga T
Reusch TBH see Bockelmann A-C
Reusch TBH see Hämmerli A
Rey D see David JP
Reyes J see Cassens I
Rhodes OE see Glaubitz JC
Ribera I, Bilton DT & Vogler AP. Mitochondrial DNA phylogeography and population history of *Meladema* diving beetles on the Atlantic Islands and in the Mediterranean basin (Coleoptera, Dytiscidae), 153
Ribi G see Oppliger A
Richard AF see Lawler RR
Richards JH see McKay JK
Richardson BJ see Zenger KR
Richardson DS & Westerdahl H. MHC diversity in two Acrocephalus species: the outbred Great reed warbler and the inbred Seychelles warbler, 3523
Richardson JE see Calsbeek R
Rico C see McCartney MA
Rico C see Taylor MI
Ridgway KP see Vandenkoornhuyse P
Ridgway MS see Blanchfield PJ
Riegel R see Bozhko M
Rieseberg LH see Lexer C
Riley MA see Lawler RR
Riley RM, Jin W & Gibson G. Contrasting selection pressures on components of the Ras-mediated signal transduction pathway in Drosophila, 1315
Rimondi S see Randi E
Rissler LJ see Crespi EJ
Roach JL see Whitehead A
Roberts SP see Williams KD
Robichaux RH see Lawton-Rauh A
Rocha OJ see Céspedes M
Roderick GK see Mun J
Rogers AD see Maggioni R
Rognon X & Guyomard R. Large extent of mitochondrial DNA transfer from *Oreochromis aureus* to *O. niloticus* in West Africa, 435
Rohwer S see Zink RM
Rokas A, Atkinson RJ, Webster LMI, Csóka G & Stone GN. Out of Anatolia: longitudinal gradients in genetic diversity support an eastern origin for a circum-Mediterranean oak gallwasp *Andricus quercustozae*, 2153
Roldán-Ruiz I see Coart E
Ronfort J see Muller MH
Rooney AP see DeYoung RW
Roper TJ see Frantz AC
Roques P see Telfer PT
Ross KG see DeWayne Shoemaker D
Rotella J see Creel S
Rotelli L see Caizergues A
Routman EJ see Masta SE
Rowley I see Hughes JM
Roy MS see Domingo-Roura X
Ruedi M & Castella V. Genetic consequences of the ice ages on nurseries of the bat *Myotis myotis*: a mitochondrial and nuclear survey, 1527
Rueness EK, Jorde PE, Hellborg L, Stenseth NC, Ellegren H & Jakobsen KS. Cryptic population structure in a large, mobile mammalian predator: the Scandinavian lynx, 2623
Ruggiero LF see Schwartz MK
Rüppell O, Strätz M, Baier B & Heinze J. Mitochondrial markers in the ant *Leptothorax rugatulus* reveal the population genetic consequences of female philopatry at different hierarchical levels, 795
Russell E see Hughes JM
Russell J see Squirrell J
Russell JA, Latorre A, Sabater-Muñoz B, Moya A & Moran NA. Side-stepping secondary symbionts: widespread horizontal transfer across and beyond the Aphidoidea, 1061
Ruzzante DE see Nielsen EE
Ryan MJ see Lampert KP
Ryman N see Palm S

Sabater-Muñoz B see Russell JA
Saint-Laurent R, Legault M & Bernatchez L. Divergent selection maintains adaptive differentiation despite high gene flow between sympatric rainbow smelt ecotypes (*Osmerus mordax* Mitchill), 315
Saker ML see Neilan BA
Sala F see Fossati T
Saltonstall K. Microsatellite variation within and among North American lineages of *Phragmites australis*, 1689
Salzburger W, Brandstätter A, Gilles A, Parson W, Hempel M, Sturmbauer C & Meyer A. Phylogeography of the vairone (*Leuciscus souffia*, Risso 1826) in Central Europe, 2371
Sambade A see D'Urso F
Samuel RM see Tremetsberger K
Sands JL see Creel S
Sanetra M & Crozier RH. Patterns of population subdivision and gene flow in the ant *Nothomyrmecia macrops* reflected in microsatellite and mitochondrial DNA markers, 2281
Santoni S see Muller MH
Santorelli L see Fortunato A
Sato H see Tani N
Savolainen O see García-Gil MR
Savolainen O see Järvinen P
Say L, Bonhomme F, Desmarais E & Pontier D. Microspatial genetic heterogeneity and gene flow in stray cats (*Felis catus* L.): a comparison of coat colour and microsatellite loci, 1669
Say L, Naulty F & Hayden TJ. Genetic and behavioural estimates of reproductive skew in male fallow deer, 2793
Schardl CL & Craven KD. Interspecific hybridization in plant-associated fungi and oomycetes: a review, 2861
Scheffer SJ & Grissell EE. Tracing the geographical origin of *Megastigmus transvaalensis* (Hymenoptera: Torymidae): an African wasp feeding on a South American plant in North America, 415

Schmalenberger A & Tebbe CC. Bacterial diversity in maize rhizospheres: conclusions on the use of genetic profiles based on PCR-amplified partial small subunit rRNA genes in ecological studies, 251
Schmid-Hempel P see Brown MJF
Schmidt O see Reineke A
Schmidt PS see Duvernell DD
Schmidtler JF see Veith M
Schmitt J see Weinig C
Schmuths H see Hoffmann MH
Schönswetter P, Paun O, Tribsch A & Niklfeld H. Out of the Alps: colonization of Northern Europe by East Alpine populations of the Glacier Buttercup *Ranunculus glacialis* L. (Ranunculaceae), 3373
Schreiber EA see Dearborn DC
Schubert R see Bozhko M
Schwartz MK, Mills LS, Ortega Y, Ruggiero LF & Allendorf FW. Landscape location affects genetic variation of Canada lynx (*Lynx canadensis*), 1807
Schwenk K see Pfenninger M
Scott LJ see Peakall R
Searle JB see Haynes S
Segelbacher G see Hille SM
Segelbacher G, Höglund J & Storch I. From connectivity to isolation: genetic consequences of population fragmentation in capercaillie across Europe, 1773
Seitz A see Veith M
Sennedot F see Brouat C
Seppä P see Gyllenstrand N
Sfougaris A see Randi E
Shaffer HB see Voss SR
Shaw AJ, Cox CJ & Boles SB. Global patterns in peatmoss biodiversity, 2553
Shayler SP see Agustí N
Sheldon F see Baker AM
Sherbakov DYu see Hidding B
Sherrod SK see Van Den Bussche RA
Shine R see O'Connor D
Shoemaker DD see Perlman SJ
Shorey L see Höglund J
Shrimpton JM & Heath DD. Census vs. effective population size in chinook salmon: large- and small-scale environmental perturbation effects, 2571
Siegismund HR see Philipp M
Siikamäki P see Tero N
da Silva Lacaz C see Kasuga T
Sindhusake C see Kittayapong P
Singh L see Balakrishnan CN
Slate J & Phua SH. Patterns of linkage disequilibrium in mitochondrial DNA of 16 ruminant populations, 597
Small MP, Stone KD & Cook JA. American marten (*Martes americana*) in the Pacific Northwest: population differentiation across a landscape fragmented in time and space, 89
Smith D see Creel S
Smith ML see Wong A
Smith PF, Konings A & Kornfield I. Hybrid origin of a cichlid population in Lake Malawi: implications for genetic variation and species diversity, 2497
Smith RA see McCauley DE
Smith S see Wandeler P
Smith TB see Clegg SM
Smulders MJM see Coart E
Sollecito SV see Freeman-Gallant CR
Sommer S. Effects of habitat fragmentation and changes of dispersal behaviour after a recent population decline on the genetic variability of noncoding and coding DNA of a monogamous Malagasy rodent, 2845
Song B-H, Wang X-Q, Wang X-R, Ding K-Y & Hong D-Y. Cytoplasmic composition in *Pinus densata* and population establishment of the diploid hybrid pine, 2995
Sopanen T see Järvinen P
Sorenson MD see Balakrishnan CN
Sorenson MD see Ramon ML
Souquière S see Telfer PT
Souza N see Maingon RDC
Spicer GS see Perlman SJ
Spiers AJ see Gal M
Spong G see Creel S
Squirrell J, Hollingsworth PM, Woodhead M, Russell J, Lowe AJ, Gibby M & Powell W. How much effort is required to isolate nuclear microsatellites from plants?, 1339
Stam WT see Coyer JA
Stamford MD see Taylor EB
Staubach S see Pfenninger M
Steinger T see Haldimann P
Stenlid J see Guidot A
Stenseth NC see Knutsen H
Stenseth NC see Rueness EK
Stenson AG see Thorpe RS
Sterner KN see Telfer PT
Stevens MI & Hogg ID. Long-term isolation and recent range expansion from glacial refugia revealed for the endemic springtail *Gomphiocephalus hodgsoni* from Victoria Land, Antarctica, 2357
Stewart WA see Telfer S
Stinchcombe JR see Weinig C
Stone GN see Rokas A
Stone KD see Small MP
Storch I see Segelbacher G
Strassmann JE see Fortunato A
Strätz M see Rüppell O
Strecker U, Bernatchez L & Wilkens H. Genetic divergence between cave and surface populations of *Astyanax* in Mexico (Characidae, Teleostei), 699
Streelman JT, Albertson RC & Kocher TD. Genome mapping of the orange blotch colour pattern in cichlid fishes, 2465
Strehl C-P see Gadau J
Streit B see Pfenninger M
Stuessy TF see Tremetsberger K
Sturmbauer C see Salzburger W
Su Q see Palmé AE
Suh S-O, Marshall CJ, McHugh JV & Blackwell M. Wood ingestion by passalid beetles in the presence of xylose-fermenting gut yeasts, 3137
Sunderland KD see Agustí N
Sundqvist A-K see Flagstad Ø
Sunnucks P see Llewellyn KS
Sunnucks P see Vorburger C
Sykes T see Dallas JF
Symondson WOC see Agustí N
Szemethy L see Pierpaoli M
Szymura JM see Babik W
Tabarroni C see Randi E

Tamura M see Kasuga T

Tani N, Tsumura Y & Sato H. Nuclear gene sequences and DNA variation of *Cryptomeria japonica* samples from the postglacial period, 859

Tapio M, Miceikienė I, Vilkki J & Kantanen J. Comparison of microsatellite and blood protein diversity in sheep: inconsistencies in fragmented breeds, 2045

Tarpy DR see Nielsen R

Tartari D see Vernesi C

Taylor AC see Banks SC

Taylor EB, Stamford MD & Baxter JS. Population subdivision in westslope cutthroat trout (*Oncorhynchus clarki lewisi*) at the northern periphery of its range: evolutionary inferences and conservation implications, 2609

Taylor JW see Kasuga T

Taylor MI, Morley JI, Rico C & Balshine S. Evidence for genetic monogamy and female-biased dispersal in the biparental mouthbrooding cichlid *Eretmodus cyanostictus* from Lake Tanganyika, 3173

Taylor ML see Kasuga T

Tebbe CC see Schmalenberger A

Telfer PT, Souquière S, Clifford SL, Abernethy KA, Bruford MW, Disotell TR, Sterner KN, Roques P, Marx PA & Wickings EJ. Molecular evidence for deep phylogenetic divergence in *Mandrillus sphinx*, 2019

Telfer S, Piertney SB, Dallas JF, Stewart WA, Marshall F, Gow JL & Lambin X. Parentage assignment detects frequent and large-scale dispersal in water voles, 1939

Temple-Smith PD see Kraaijeveld-Smit FJL

Tennessen JA & Zamudio KR. Early male reproductive advantage, multiple paternity and sperm storage in an amphibian aggregate breeder, 1567

Tero N, Aspi J, Siikamäki P, Jäkäläniemi A & Tuomi J. Genetic structure and gene flow in a metapopulation of an endangered plant species, *Silene tatarica*, 2073

Terradas J see Domingo-Roura X

Terzioglu S see Milne RI

Teshima H, Davison A, Kuwahara Y, Yokoyama J, Chiba S, Fukuda T, Ogimura H & Kawata M. The evolution of extreme shell shape variation in the land snail *Ainohelix editha*: a phylogeny and hybrid zone analysis, 1869

Teske PR, Cherry MI & Matthee CA. Population genetics of the endangered Knysna seahorse, *Hippocampus capensis*, 1703

Thipaksorn A see Kittayapong P

Thompson JN see Calsbeek R

Thorpe RS & Stenson AG. Phylogeny, paraphyly and ecological adaptation of the colour and pattern in the Anolis roquet complex on Martinique, 117

Thuman KA, Widemo F & Griffith SC. Condition-dependent sex allocation in a lek-breeding wader, the ruff (*Philomachus pugnax*), 213

Tiira K, Laurila A, Peuhkuri N, Piironen J, Ranta E & Primmer CR. Aggressiveness is associated with genetic diversity in landlocked salmon (*Salmo salar*), 2399

Timms-Wilson TM see Lilley AK

Toepfer JE see Johnson JA

Tomaru N see Torimaru T

Tomimura K, Gibbs AJ, Jenner CE, Walsh JA & Ohshima K. The phylogeny of *Turnip mosaic virus*; comparisons of 38 genomic sequences reveal a Eurasian origin and a recent 'emergence' in east Asia, 2099

Tomiuk J see Hoffmann MH

Tomiuk J & Loeschcke V. Comments on: Evolutionary and statistical properties of three genetic distances (Kalinowski, 2002), 2275

Tønsberg T see Printzen C

Toon A see Hughes JM

Torimaru T, Tomaru N, Nishimura N & Yamamoto S. Clonal diversity and genetic differentiation in *Ilex leucoclada* M. patches in an old-growth beech forest, 809

Törökné A see Neilan BA

Tranel PJ see Ainsworth EA

Traw MB, Kim J, Enright S, Cipollini DF & Bergelson J. Negative cross-talk between salicylate- and jasmonate-mediated pathways in the Wassilewskija ecotype of *Arabidopsis thaliana*, 1125

Tremetsberger K, Stuessy TF, Samuel RM, Baeza CM & Fay MF. Genetics of colonization in *Hypochaeris tenuifolia* (Asteraceae, Lactuceae) on Volcán Lonquimay, Chile, 2649

Trexler JC see Mcelroy TC

Tribsch A see Schönswetter P

Tsukaya H, Fukuda T & Yokoyama J. Hybridization and introgression between *Callicarpa japonica* and *C. mollis* (Verbenaceae) in central Japan, as inferred from nuclear and chloroplast DNA sequences, 3003

Tsumura Y see Tani N

Tsutsui ND, Kauppinen SN, Oyafuso AF & Grosberg RK. The distribution and evolutionary history of *Wolbachia* infection in native and introduced populations of the invasive argentine ant (*Linepithema humile*), 3057

Tuomi J see Tero N

Ulstrup KE & van Oppen MJH. Geographic and habitat partitioning of genetically distinct zooxanthellae (*Symbiodinium*) in *Acropora* corals on the Great Barrier Reef, 3477

Ungaro A see Cianchi R

Uthicke S & Benzie JAH. Gene flow and population history in high dispersal marine invertebrates: mitochondrial DNA analysis of *Holothuria nobilis* (Echinodermata: Holothuroidea) populations from the Indo-Pacific, 2635

Vachot-Griffin A-M see Zenger KR

Väinölä R see Kontula T

Van Bockstaele E see Coart E

Van Den Bussche RA, Hoofer SR, Wiedenfeld DA, Wolfe DH & Sherrod SK. Genetic variation within and among fragmented populations of lesser prairie-chickens (*Tympanuchus pallidicinctus*), 675

Van Der Wurff AWG, Isaaks JA, Ernsting G & Van Straalen NM. Population substructures in the soil invertebrate *Orchesella cincta*, as revealed by microsatellite and TE-AFLP markers, 1349

Van Huylenbroeck J see Coart E

Van Oppen MJH see Miller DJ

Van Straalen NM see Van Der Wurff AWG

Van Waerebeek K see Cassens I

Vandenkoornhuyse P, Ridgway KP, Watson IJ, Fitter AH & Young JPW. Co-existing grass species have distinctive arbuscular mycorrhizal communities, 3085

Vargo EL, Husseneder C & Grace JK. Colony and population genetic structure of the Formosan subterranean termite, *Coptotermes formosanus*, in Japan, 2599

Varis S see Wickström LM

Vaughan IP see Agustí N

Vavre F see Mouton L
Veith M, Schmidtler JF, Kosuch J, Baran I & Seitz A. Palaeoclimatic changes explain Anatolian mountain frog evolution: a test for alternating vicariance and dispersal events, 185
Vekemans X see Coart E
Vekemans X see Heuertz M
Vernesi C, Crestanello B, Pecchioli E, Tartari D, Caramelli D, Hauffe H & Bertorelle G. The genetic impact of demographic decline and reintroduction in the wild boar (*Sus scrofa*): A microsatellite analysis, 585
Viard F see Bierne N
Vickery P see Bulgin NL
Vilà C see Flagstad Ø
Vilgalys R see Morehouse EA
Vilkki J see Tapio M
Vines TH & Barton NH. A new approach to detecting mixed families, 1999
Vogler AP see Ribera I
Von Helversen O see Heckel G
Vorburger C, Lancaster M & Sunnucks P. Environmentally related patterns of reproductive modes in the aphid *Myzus persicae* and the predominance of two 'superclones' in Victoria, Australia, 3493
Voss SR, Prudic KL, Oliver JC & Shaffer HB. Candidate gene analysis of metamorphic timing in ambystomatid salamanders, 1217
Vrijenhoek RC see Won Y

Wagner I see Coart E
Waits LP see Adams JR
Waits LP see Cegelski CC
Waits LP see Miller CR
Waits LP see Murphy MA
Walker CW see Flagstad Ø
Walker NF, Hulme PE & Hoelzel AR. Population genetics of an invasive species, *Heracleum mantegazzianum*: implications for the role of life history, demographics and independent introductions, 1747
Walsh JA see Tomimura K
Wandeler P, Funk SM, Largiadèr CR, Gloor S & Breitenmoser U. The city-fox phenomenon: genetic consequences of a recent colonization of urban habitat, 647
Wandeler P, Smith S, Morin PA, Pettifor RA & Funk SM. Patterns of nuclear DNA degeneration over time — a case study in historic teeth samples, 1087
Wang J see Chapman RE
Wang X-Q see Song B-H
Wang X-R see Song B-H
Ward RD see Maingon RDC
Ward SJ see Kraaijeveld-Smit FJL
Waser PM see Winters JB
Watson IJ see Vandenkoornhuyse P
Watt WB, Wheat CW, Meyer EH & Martin J-F. Adaptation at specific loci. VII. Natural selection, dispersal and the diversity of molecular–functional variation patterns among butterfly species complexes (*Colias*: Lepidoptera, Pieridae), 1265
Watts PC see Maingon RDC
Wayne RK see Domingo-Roura X
Webster JP see Dejong RJ
Webster LMI see Rokas A
Weider LJ & Hobæk A. Glacial refugia, haplotype distributions, and clonal richness of the *Daphnia pulex* complex in arctic Canada, 463
Weinig C, Stinchcombe JR & Schmitt J. QTL architecture of resistance and tolerance traits in *Arabidopsis thaliana* in natural environments, 1153
Weiss S see Froufe E
Welch ME see Lexer C
Werren JH see Baudry E
Westberg MC see Zink RM
Westerdahl H see Richardson DS
Wheat CW see Watt WB
Wheelwright NT see Freeman-Gallant CR
White TJ see Kasuga T
Whitehead A, Anderson SL, Kuivila KM, Roach JL & May B. Genetic variation among interconnected populations of *Catostomus occidentalis*: implications for distinguishing impacts of contaminants from biogeographical structuring, 2817
Whitton J see Rajakaruna N
Whitworth T see Baudry E
Wickings EJ see Telfer PT
Wickström LM, Haukisalmi V, Varis S, Hantula J, Fedorov VB & Henttonen H. Phylogeography of the circumpolar *Paranoplocephala arctica* species complex (Cestoda: Anoplocephalidae) parasitizing collared lemmings (*Dicrostonyx* spp.), 3359
Widemo F see Thuman KA
Widmer A see Cozzolino S
Wiedenfeld DA see Van Den Bussche RA
Wiig Ø see Flagstad Ø
Wilkens H see Strecker U
Wilkinson GS see Ortega J
Williams BL, Brawn JD & Paige KN. Landscape scale genetic effects of habitat fragmentation on a high gene flow species: *Speyeria idalia* (Nymphalidae), 11
Williams KD, Helin AB, Posluszny J, Roberts SP & Feder ME. Effect of heat shock, pretreatment and *hsp70* copy number on wing development in *Drosophila melanogaster*, 1165
Williams KL see Rawson PD
Williams SA see Baker AM
Wilson CC see Blanchfield PJ
Wilson GJ see Frantz AC
Wilson WD see Dejong RJ
Wilton AN see Banks SC
Winters JB & Waser PM. Gene dispersal and outbreeding in a philopatric mammal, 2251
Witt JDS, Blinn DW & Hebert PDN. The recent evolutionary origin of the phenotypically novel amphipod *Hyalella montezuma* offers an ecological explanation for morphological stasis in a closely allied species complex, 405
Wolfe DH see Van Den Bussche RA
Won Y, Hallam SJ, O'Mullan GD & Vrijenhoek RC. Cytonuclear disequilibrium in a hybrid zone involving deep-sea hydrothermal vent mussels of the genus *Bathymodiolus*, 3185
Won Y, Young CR, Lutz RA & Vrijenhoek RC. Dispersal barriers and isolation among deep-sea mussel populations (Mytilidae: *Bathymodiolus*) from eastern Pacific hydrothermal vents, 169
Wong A, Smith ML & Forbes MR. Differentiation between subpopulations of a polychromatic damselfly with respect to morph frequencies, but not neutral genetic markers, 3505
Woodhead M see Squirrell J
Woodroffe R see Domingo-Roura X

Woodruff DS see Eggert LS
Wright SI, Lauga B & Charlesworth D. Subdivision and haplotype structure in natural populations of *Arabidopsis lyrata*, 1247
Wu B see Lian C
Wu B see Zhou Z

Yamamoto S see Torimaru T
Yang J-C see Hwang S-Y
Yokoyama J see Teshima H
Yokoyama J see Tsukaya H
Young CR see Won Y
Young JPW see Vandenkoornhuyse P

Zamudio KR see Tennessen JA
Zancopé-Oliveira RM see Kasuga T
Zane L see Ludwig A
Zanotti-Magalhães EM see Dejong RJ
Zebitz CPW see Reineke A
Zeh DW see Zeh JA
Zeh JA, Zeh DW & Bonilla MM. Phylogeography of the harlequin beetle-riding pseudoscorpion and the rise of the Isthmus of Panamá, 2759
Zeigle J see Creel S
Zeisset I & Beebee TJC. Population genetics of a successful invader: the marsh frog *Rana ridibunda* in Britain, 639
Zenger KR, Richardson BJ & Vachot-Griffin A-M. A rapid population expansion retains genetic diversity within European rabbits in Australia, 789
Zhang D-X & Hewitt GM. Nuclear DNA analyses in genetic studies of populations: practice, problems and prospects, 563
Zheng X, Arbogast BS & Kenagy GJ. Historical demography and genetic structure of sister species: deermice (*Peromyscus*) in the North American temperate rain forest, 711
Zhou Z see Lian C
Zhou Z, Miwa M, Nara K, Wu B, Nakaya H, Lian C, Miyashita N, Oishi R, Maruta E & Hogetsu T. Patch establishment and development of a clonal plant, *Polygonum cuspidatum*, on Mount Fuji, 1361
Zielinski WJ see Drew RE
Zink RM, Drovetski SV, Questiau S, Fadeev IV, Nesterov EV, Westberg MC & Rohwer S. Recent evolutionary history of the bluethroat (*Luscinia svecica*) across Eurasia, 3069
Zwahlen C, Hilbeck A, Gugerli P & Nentwig W. Degradation of the Cry1Ab protein within transgenic *Bacillus thuringiensis* corn tissue in the field, 765
Zwahlen C, Hilbeck A, Howald R & Nentwig W. Effects of transgenic Bt corn litter on the earthworm *Lumbricus terrestris*, 1077